



Crosperio[®] RX & OTW

PTA Balloon Dilatation Catheter

Crosstella[®] RX & OTW

PTA Balloon Dilatation Catheter



**EXPERIENCE
THE DIFFERENCE**
IN BELOW THE KNEE
PROCEDURES



TERUMO
INTERVENTIONAL
SYSTEMS



PUSHING BOUNDARIES

Terumo Interventional Systems is **committed to your success** with innovative procedural solutions and ongoing support for your most challenging cases.

We are relentlessly seeking new ways to help you apply effective solutions and achieve **better outcomes for more patients.**

**TERUMO**
INTERVENTIONAL
SYSTEMS

CHOOSE THE TERUMO DIFFERENCE

Experience the distinctive performance of our balloon dilatation catheters

- Innovative shaft design provides robust strength for crossing lesions¹
- Engineered for maximizing pushability¹

CROSPERIO® RX PTA Balloon Dilatation Catheter (0.014")

Engineered to provide best-in-class **PUSHABILITY** with a small profile for accessing target lesions^{1,a}

CROSPERIO® OTW PTA Balloon Dilatation Catheter (0.014")

Designed to provide ideal pushability and **crossability**, with innovative balloon re-wrap engineering to support re-use within the same procedure^{1,a}



CROSSTELLA® RX PTA Balloon Dilatation Catheter (0.018")


Engineered to provide best-in-class **CROSSABILITY** with a low deflation time^{1,a}

CROSSTELLA® OTW PTA Balloon Dilatation Catheter (0.018")

Designed to provide ideal crossability, with innovative balloon re-wrap engineering to support re-use within the same procedure^{1,a}

Complete support for complex BTK cases

TERUMO helps you reach and cross targeted lesions with innovative minimally invasive limb revascularization products and services.



Choose from a portfolio of products to help broaden your command of complex BTK cases

ACCESS

GLIDESHEATH SLENDER® Tibial Pedal Kit
Thin-wall sheath option for procedures requiring a 5 Fr sheath;¹ available with 4 cm & 7 cm needles

PINNACLE® DESTINATION®
Helps achieve smooth, atraumatic access¹

TARGET

GLIDEWIRE ADVANTAGE® 0.018" & 0.014"
Enhanced visibility with gold coil tips¹

GLIDEWIRE® GOLD 0.018"
High tip weight supports crossing lesions in small vessels¹

GLIDEWIRE ADVANTAGE TRACK™ 0.018" & 0.014"
Superior pushability, trackability, and durability^{1,c} for challenging BTK cases

NAVICROSS® 0.035" & 0.018"
Best-in-class pushability^{1,d}

INTERVENE

CROSPERIO® RX & OTW 0.014"
Engineered for pushability

CROSSTELLA® RX & OTW 0.018"
Designed for crossability

¹When compared to Abbott Hi-Torque Command 18 LT and Boston Scientific V-18

^aWhen compared to leading competitors

^aWhen compared to select competitors

^bWhen RX tested against Boston Scientific Sterling™ Monorail™ and OTW tested against Bard Ultraverse® 0.018"

ORDERING INFORMATION

| CROSSTELLA® RX 0.018" PTA Balloon Dilatation Catheter – 150cm | | | | | | | | |
|---|---------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| BALLOON DIAMETER (mm) | BALLOON LENGTH (mm) | | | | | | | |
| | 20 | 40 | 60 | 80 | 100 | 120 | 150 | 200 |
| 2 | BD-F20020LR | BD-F20040LR | BD-F20060LR | BD-F20080LR | BD-F20100LR | BD-F20120LR | BD-F20150LR | BD-F20200LR |
| 2.5 | BD-F25020LR | BD-F25040LR | BD-F25060LR | BD-F25080LR | BD-F25100LR | BD-F25120LR | BD-F25150LR | BD-F25200LR |
| 3 | BD-F30020LR | BD-F30040LR | BD-F30060LR | BD-F30080LR | BD-F30100LR | BD-F30120LR | BD-F30150LR | BD-F30200LR |
| 4 | BD-F40020LR | BD-F40040LR | BD-F40060LR | BD-F40080LR | BD-F40100LR | BD-F40120LR | BD-F40150LR | BD-F40200LR |
| 5 | BD-F50020LR | BD-F50040LR | BD-F50060LR | BD-F50080LR | BD-F50100LR | BD-F50120LR | BD-F50150LR | BD-F50200LR |
| 6 | BD-F60020LR | BD-F60040LR | BD-F60060LR | BD-F60080LR | BD-F60100LR | BD-F60120LR | BD-F60150LR | BD-F60200LR |

4Fr
5Fr

| CROSSTELLA® OTW 0.018" PTA Balloon Dilatation Catheter – 150cm | | | | | | | | |
|--|---------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| BALLOON DIAMETER (mm) | BALLOON LENGTH (mm) | | | | | | | |
| | 20 | 40 | 60 | 80 | 100 | 120 | 150 | 200 |
| 2 | BD-F20020LW | BD-F20040LW | BD-F20060LW | BD-F20080LW | BD-F20100LW | BD-F20120LW | BD-F20150LW | BD-F20200LW |
| 2.5 | BD-F25020LW | BD-F25040LW | BD-F25060LW | BD-F25080LW | BD-F25100LW | BD-F25120LW | BD-F25150LW | BD-F25200LW |
| 3 | BD-F30020LW | BD-F30040LW | BD-F30060LW | BD-F30080LW | BD-F30100LW | BD-F30120LW | BD-F30150LW | BD-F30200LW |
| 4 | BD-F40020LW | BD-F40040LW | BD-F40060LW | BD-F40080LW | BD-F40100LW | BD-F40120LW | BD-F40150LW | BD-F40200LW |
| 5 | BD-F50020LW | BD-F50040LW | BD-F50060LW | BD-F50080LW | BD-F50100LW | BD-F50120LW | BD-F50150LW | BD-F50200LW |
| 6 | BD-F60020LW | BD-F60040LW | BD-F60060LW | BD-F60080LW | BD-F60100LW | BD-F60120LW | BD-F60150LW | BD-F60200LW |

4Fr
5Fr

| CROSPERIO® RX 0.014" PTA Balloon Dilatation Catheter – 150cm | | | | | | |
|--|---------------------|-------------|-------------|-------------|-------------|-------------|
| BALLOON DIAMETER (mm) | BALLOON LENGTH (mm) | | | | | |
| | 20 | 40 | 80 | 120 | 150 | 200 |
| 1.5 | BD-B15020LR | BD-B15040LR | BD-B15080LR | BD-B15120LR | — | — |
| 2 | — | BD-B20040LR | BD-B20080LR | BD-B20120LR | BD-B20150LR | BD-B20200LR |
| 2.5 | — | BD-B25040LR | BD-B25080LR | BD-B25120LR | BD-B25150LR | BD-B25200LR |
| 3 | — | BD-B30040LR | BD-B30080LR | BD-B30120LR | BD-B30150LR | BD-B30200LR |
| 3.5 | — | BD-B35040LR | BD-B35080LR | BD-B35120LR | BD-B35150LR | BD-B35200LR |
| 4 | — | BD-B40040LR | BD-B40080LR | BD-B40120LR | BD-B40150LR | BD-B40200LR |

4Fr

| CROSPERIO® OTW 0.014" PTA Balloon Dilatation Catheter – 65cm | | |
|--|---------------------|-------------|
| BALLOON DIAMETER (mm) | BALLOON LENGTH (mm) | |
| | 80 | 200 |
| 1.5 | — | — |
| 2 | BD-B20080SW | BD-B20200SW |
| 2.5 | BD-B25080SW | BD-B25200SW |
| 3 | BD-B30080SW | BD-B30200SW |
| 3.5 | BD-B35080SW | BD-B35200SW |
| 4 | BD-B40080SW | BD-B40200SW |

4Fr

| CROSPERIO® OTW 0.014" PTA Balloon Dilatation Catheter – 150cm | | | | | | |
|---|---------------------|-------------|-------------|-------------|-------------|-------------|
| BALLOON DIAMETER (mm) | BALLOON LENGTH (mm) | | | | | |
| | 20 | 40 | 80 | 120 | 150 | 200 |
| 1.5 | BD-B15020LW | BD-B15040LW | BD-B15080LW | BD-B15120LW | — | — |
| 2 | — | BD-B20040LW | BD-B20080LW | BD-B20120LW | BD-B20150LW | BD-B20200LW |
| 2.5 | — | BD-B25040LW | BD-B25080LW | BD-B25120LW | BD-B25150LW | BD-B25200LW |
| 3 | — | BD-B30040LW | BD-B30080LW | BD-B30120LW | BD-B30150LW | BD-B30200LW |
| 3.5 | — | BD-B35040LW | BD-B35080LW | BD-B35120LW | BD-B35150LW | BD-B35200LW |
| 4 | — | BD-B40040LW | BD-B40080LW | BD-B40120LW | BD-B40150LW | BD-B40200LW |

4Fr

FIND OUT MORE ☎ Phone: 800.862.4143 🏠 terumo.is.com 📠 Fax: 800.411.5870

Reference:
1. Data on file.

RX ONLY. Refer to the product labels and package inserts for complete warnings, precautions, potential complications, and instructions for use.

©2020 Terumo Medical Corporation. All rights reserved. The third-party trademarks used herein are trademarks of their respective owners. All other brand names are trademarks or registered trademarks of Terumo. PM-03907



ORDERING INFORMATION

PINNACLE® DESTINATION Guiding Sheaths

Packed 1 per box and includes dilator. All dilators are 0.038" wire compatible.

5 Fr



6 Fr



7 Fr



8 Fr



| FRENCH SIZE | PRODUCT CODE | LENGTH (cm) | HYDROPHILIC COATING LENGTH (cm) | VALVE TYPE | CURVE STYLE | CURVE SHAPE |
|-------------|--------------|-------------|---------------------------------|---------------|---------------|-------------|
| 5 Fr | 54-54501 | 45 | 35 | Cross-Cut | Straight | |
| | 54-54502 | 45 | 5 | Cross-Cut | Hockey Stick | |
| | 54-54503 | 45 | 5 | Cross-Cut | Multi-Purpose | |
| | 54-54504 | 45 | 5 | Cross-Cut | RDC | |
| | 54-54505 | 45 | 5 | Cross-Cut | LIMA | |
| 6 Fr | 54-64501 | 45 | 35 | Cross-Cut | Straight | |
| | 54-64506 | 45 | 35 | Tuohy-Borst | Straight | |
| | RSR01 | 45 | 5 | Cross-Cut | Straight | |
| | RSR02 | 45 | 5 | Cross-Cut | Hockey Stick | |
| | RSR03 | 45 | 5 | Cross-Cut | Multi-Purpose | |
| | RSR07 | 45 | 5 | Tuohy-Borst | Straight | |
| | RSR08 | 45 | 5 | Tuohy-Borst | Hockey Stick | |
| | RSR09 | 45 | 5 | Tuohy-Borst | Multi-Purpose | |
| | RSR13 | 45 | 5 | Cross-Cut | RDC | |
| | RSR14 | 45 | 5 | Cross-Cut | LIMA | |
| | RSR17 | 45 | 5 | Tuohy-Borst | RDC | |
| | RSR18 | 45 | 5 | Tuohy-Borst | LIMA | |
| | RSP01 | 65 | 35 | Cross-Cut | Straight | |
| | RSP03 | 65 | 35 | Tuohy-Borst | Straight | |
| | RSC01 | 90 | 15 | Tuohy-Borst | Straight | |
| | RSC03 | 90 | 15 | Tuohy-Borst | Multi-Purpose | |
| | RSC05 | 90 | 15 | Cross-Cut | Straight | |
| RSC07 | 90 | 15 | Cross-Cut | Multi-Purpose | | |
| 7 Fr | 54-74501 | 45 | 35 | Cross-Cut | Straight | |
| | 54-74506 | 45 | 35 | Tuohy-Borst | Straight | |
| | RSR04 | 45 | 5 | Cross-Cut | Straight | |
| | RSR05 | 45 | 5 | Cross-Cut | Hockey Stick | |
| | RSR06 | 45 | 5 | Cross-Cut | Multi-Purpose | |
| | RSR10 | 45 | 5 | Tuohy-Borst | Straight | |
| | RSR11 | 45 | 5 | Tuohy-Borst | Hockey Stick | |
| | RSR12 | 45 | 5 | Tuohy-Borst | Multi-Purpose | |
| | RSR15 | 45 | 5 | Cross-Cut | RDC | |
| | RSR16 | 45 | 5 | Cross-Cut | LIMA | |
| | RSR19 | 45 | 5 | Tuohy-Borst | RDC | |
| | RSR20 | 45 | 5 | Tuohy-Borst | LIMA | |
| | RSP02 | 65 | 35 | Cross-Cut | Straight | |
| | RSP04 | 65 | 35 | Tuohy-Borst | Straight | |
| | RSC02 | 90 | 15 | Tuohy-Borst | Straight | |
| | RSC04 | 90 | 15 | Tuohy-Borst | Multi-Purpose | |
| | RSC06 | 90 | 15 | Cross-Cut | Straight | |
| RSC08 | 90 | 15 | Cross-Cut | Multi-Purpose | | |
| 8 Fr | 54-84501 | 45 | 35 | Cross-Cut | Straight | |
| | 54-84506 | 45 | 35 | Tuohy-Borst | Straight | |
| | 54-86501 | 65 | 35 | Cross-Cut | Straight | |
| | 54-86506 | 65 | 35 | Tuohy-Borst | Straight | |
| | 54-89001 | 90 | 60 | Cross-Cut | Straight | |
| | 54-89006 | 90 | 60 | Tuohy-Borst | Straight | |

ORDERING INFORMATION

GLIDESHEATH SLENDER® Tibial Pedal Kit

Sheath Length: 10 cm | Wire Length: 43 cm | 5 per shelf box | 4 cm or 7 cm Needle

| PRODUCT CODE | SHEATH | DILATOR | MINI-GUIDEWIRE | NEEDLE | NEEDLE LENGTH |
|--------------|------------|---------|----------------------------------|--------------------------------|---------------|
| 52-1050 | 5 Fr 10 cm | 0.021" | Nitinol/Floppy 0.021" x 43 cm | 21G-19G (Tapered) Echogenic | 4 cm (40 mm) |
| 51-1050 | 5 Fr 10 cm | 0.021" | Nitinol/Floppy 0.021" x 43 cm | 21G-19G (Tapered) Echogenic | 7 cm (70 mm) |

GLIDEWIRE ADVANTAGE® Peripheral Guidewires

| PRODUCT CODE | DIAMETER | TOTAL LENGTH (cm) | SPIRAL PTFE PROXIMAL COATING LENGTH (cm) | DISTAL GLIDEWIRE® LENGTH (cm) | FLEXIBLE TIP LENGTH (TAPER) (cm) | TIP SHAPE |
|--------------|----------|-------------------|--|-------------------------------|----------------------------------|-----------|
| GA1418 | 0.014" | 180 | 155 | 25 | 1 | 45° Angle |
| GA1430 | 0.014" | 300 | 275 | 25 | 1 | 45° Angle |
| GA1818 | 0.018" | 180 | 155 | 25 | 1 | 45° Angle |
| GA1830 | 0.018" | 300 | 275 | 25 | 1 | 45° Angle |
| GA3501 | 0.035" | 180 | 155 | 25 | 5 | 45° Angle |
| GA3502 | 0.035" | 260 | 235 | 25 | 5 | 45° Angle |

GLIDEWIRE ADVANTAGE TRACK™ Peripheral Guidewires

| PRODUCT CODE | DIAMETER | TOTAL LENGTH (cm) | SPIRAL PTFE PROXIMAL COATING LENGTH (cm) | DISTAL GLIDEWIRE® LENGTH (cm) | FLEXIBLE TIP LENGTH (TAPER) (cm) | TIP SHAPE |
|--------------|----------|-------------------|--|-------------------------------|----------------------------------|-----------|
| GAT1418 | 0.014" | 180 | 155 | 25 | 1 | 35° Angle |
| GAT1430 | 0.014" | 300 | 275 | 25 | 1 | 35° Angle |
| GAT1818 | 0.018" | 180 | 155 | 25 | 1 | 35° Angle |
| GAT1830 | 0.018" | 300 | 275 | 25 | 1 | 35° Angle |

GLIDEWIRE® GOLD Hydrophilic Coated Guidewires

| PRODUCT CODE | DIAMETER | TOTAL LENGTH (cm) | FLEXIBLE TIP LENGTH (cm) | RADIOPAQUE LENGTH (mm) | TIP SHAPE |
|--------------|----------|-------------------|--------------------------|------------------------|-----------|
| GM1811 | 0.018" | 180 | 3 | 1 | 45° Angle |
| GM1813 | 0.018" | 180 | 3 | 1 | 70° Angle |
| GM1831 | 0.018" | 300 | 3 | 1 | 45° Angle |
| GM1832 | 0.018" | 300 | 3 | 1 | 70° Angle |

NAVICROSS® Support Catheters

NAVICROSS® 0.035"

| PRODUCT CODE | WIRE COMPATIBILITY | CATHETER LENGTH (cm) | TIP SHAPE |
|--------------|--------------------|----------------------|-----------|
| NC35650 | 0.035" | 65 | Straight |
| NC35651 | 0.035" | 65 | Angle |
| NC35900 | 0.035" | 90 | Straight |
| NC35901 | 0.035" | 90 | Angle |
| NC35130 | 0.035" | 135 | Straight |
| NC35131 | 0.035" | 135 | Angle |
| NC35150 | 0.035" | 150 | Straight |
| NC35151 | 0.035" | 150 | Angle |

NAVICROSS® 0.018"

| | | | |
|---------|--------|-----|----------|
| NC18650 | 0.018" | 65 | Straight |
| NC18651 | 0.018" | 65 | Angle |
| NC18900 | 0.018" | 90 | Straight |
| NC18901 | 0.018" | 90 | Angle |
| NC18130 | 0.018" | 135 | Straight |
| NC18131 | 0.018" | 135 | Angle |
| NC18150 | 0.018" | 150 | Straight |
| NC18151 | 0.018" | 150 | Angle |

FIND OUT MORE  Phone: 800.862.4143  terumo.com  Fax: 800.411.5870

RX ONLY. Refer to the product labels and package inserts for complete warnings, precautions, potential complications, and instructions for use.

©2020 Terumo Medical Corporation. All rights reserved. The third-party trademarks used herein are trademarks of their respective owners. All other brand names are trademarks or registered trademarks of Terumo. PM-03907

